



Entre tension et harmonie : conversations autour de la consommation de cannabis chez les femmes enceintes au Québec Deuxième résultat

Karen A. Dominguez-Cancino, PhD.


Objectives

- 1) Systematize how health professionals respond and/or guide pregnant women with and without cannabis use disorder regarding cannabis use during pregnancy.

Profile

Health professionals

- | | | |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <ul style="list-style-type: none">• Social worker.• 19 years of experience.• Working in the Integrated Perinatal and Early Childhood Services (SIPPE) program. | <ul style="list-style-type: none">• Psychoéducatrice.• 16 years of experience.• Working in the Integrated Perinatal and Early Childhood Services (SIPPE) program. | <ul style="list-style-type: none">• Physician.• 5 years of experience.• Working at the CIUSS. General practice. Delivery room. Teaching. |
| <ul style="list-style-type: none">• Nurse.• 35 years of experience.• Working in the Platform “Ma Grossesse”, and postnatal visits. | <ul style="list-style-type: none">• Social worker.• 6 years of experience.• Working at the CLSC. | <ul style="list-style-type: none">• Physician.• 8 years of experience.• Working at the CIUSS. General practice. Delivery room. Teaching. |



Integration and discussion

Integration and discussion

- Cannabis use in two extremes
 - Certain elements emerge that introduce greater comprehension and intervention in this context:
 - Characteristic of consumption. Warning signs. Professional judgment.
 - Cannabis as a habit and as a coping strategy.
 - Frequency and impact in daily life are key.
 - Need of an aggravating factor to use more resources.
 - Individual management considering harm reduction and motivational approach.
 - Alcohol as reference.
- Perception of legalization
 - Trivialization. Normalization.

Negative response

- Couple's dynamics
- Effect of COVID

Comments?